Department of Veter	ans Affairs	KNEE AND LOWER L	EG CONDITIONS D	ISABILITY BENEFITS QUESTIONNAIRE		
IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) <i>WILL NOT PAY</i> OR <i>REIMBURSE</i> ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM. PLEASE READ THE PRIVACY ACT AND RESPONDENT BURDEN INFORMATION ON REVERSE BEFORE COMPLETING FORM.						
NAME OF PATIENT/VETERAN	NAME OF PATIENT/VETERAN'S SOCIAL SECURITY NUMBER					
NOTE TO PHYSICIAN - The veteran or service member is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the claim. VA reserves the right to confirm the authenticity of ALL DBQs completed by private health care providers.						
		MEDICAL REC	ORD REVIEW			
WAS THE VETERAN'S VA CLAIMS	FILE REVIEWE	D?				
YES NO						
IF YES, LIST ANY RECORDS THAT WERE REVIEWED BUT WERE NOT INCLUDED IN THE VETERAN'S VA CLAIMS FILE:						
IF NO, CHECK ALL RECORDS REVIEWED:						
Military service treatment records Department of Defense Form 214 Separation Documents						
Military service personnel records Veterans Health Administration medical records (VA treatment records)						
Military enlistment examination		Civilian medical records				
Military separation examination	n 🗌	Interviews with collateral witnesse	es (family and others who he	ave known the veteran before and after military service)		
Military post-deployment quest	ionnaire	Other:				
		No records were reviewed				
		SECTION I -	DIAGNOSIS			
		tion has been requested on an exa	m request form (Internal V	A) or for which the Veteran has requested medical		
evidence be provided for submission	on to VA.					
1A. LIST THE CLAIMED CONDITIO	N(S) THAT PER	TAIN TO THIS DBQ:				
NOTE: These are the diagnoses determined during this current evaluation of the claimed condition(s) listed above. If there is no diagnosis, if the diagnosis is different from a previous diagnosis for this condition, or if there is a diagnosis of a complication due to the claimed condition, explain your findings and reasons in comments section. Date of diagnosis can be the date of the evaluation if the clinician is making the initial diagnosis, or an approximate date determined through record review or reported history.						
1B. SELECT DIAGNOSES ASSOCIATED WITH THE CLAIMED CONDITION(S) (Check all that apply):						
The Veteran does not have a c	urrent diagnosis	associated with any claimed condi	tion listed above. (Explain y	our findings and reasons in comments section.)		
Knee strain	Side affected:	Right Left Both	ICD Code:	Date of diagnosis:		
Knee tendonitis/tendonosis	Side affected:	Right Left Both	ICD Code:			
Knee meniscal tear	Side affected:	Right Left Both	ICD Code:			
Knee anterior cruciate	Side affected:	🗌 Right 🗌 Left 🗌 Both	ICD Code:			
ligament tear Knee posterior cruciate	Side affected:	Right Left Both	ICD Code:	Date of diagnosis:		
ligament tear	Side allected.		ICD Code			
Patellar or quadriceps tendon rupture	Side affected:		ICD Code:			
Knee joint osteoarthritis	Side affected:		ICD Code:			
Knee joint ankylosis	Side affected:		ICD Code:			
Knee fracture (including patellar fracture)	Side affected:		ICD Code:			
Stress fracture of tibia	Side affected:		ICD Code:			
Tibia and/or Fibula fracture	Side affected:		ICD Code:			
Recurrent patellar dislocation	Side affected:		ICD Code:			
Recurrent subluxation	Side affected:		ICD Code:			
Knee instability	Side affected:		ICD Code:			
Patellar dislocation	Side affected:		ICD Code:			
Knee cartilage restoration surgery	Side affected:	🔄 Right 🔄 Left 🔄 Both	ICD Code:	Date of diagnosis:		
Shin splints (including tibia and/or fibula stress fracture and/or exertional compartment syndrome)	Side affected:	Right Left Both	ICD Code:	Date of diagnosis:		
Patellofemoral pain syndrome	Side affected:	Right Left Both	ICD Code:	Date of diagnosis:		

SECTION I - DIAGNOSIS (Continued)							
1B. SELECT DIAGNOSES ASSOCIATED WITH THE CLAIMED CONDITION(S) (Check all that apply) (Continued)							
Other (specify)							
Other diagnosis #1:							
Side affected: Right Left Both ICD Code: Date of diagnosis:							
Other diagnosis #2:							
Side affected: Right Left Both ICD Code: Date of diagnosis:							
Other diagnosis #3:							
Side affected: Right Left Both ICD Code: Date of diagnosis:							
1C. COMMENTS (if any):							
1D. WAS AN OPINION REQUESTED ABOUT THIS CONDITION (internal VA only)?							
YES NO N/A							
2A. DESCRIBE THE HISTORY (including onset and course) OF THE VETERAN'S KNEE AND/OR LOWER LEG CONDITION (brief summary):							
2B. DOES THE VETERAN REPORT THAT FLARE-UPS IMPACT THE FUNCTION OF THE KNEE AND/OR LOWER LEG?							
YES NO							
IF YES, DOCUMENT THE VETERAN'S DESCRIPTION OF THE IMPACT OF FLARE-UPS IN HIS OR HER OWN WORDS:							
2C. DOES THE VETERAN REPORT HAVING ANY FUNCTIONAL LOSS OR FUNCTIONAL IMPAIRMENT OF THE JOINT OR EXTREMITY BEING EVALUATED ON THIS							
DBQ (regardless of repetitive use)?							
YES NO							
IF YES, DOCUMENT THE VETERAN'S DESCRIPTION OF FUNCTIONAL LOSS OR FUNCTIONAL IMPAIRMENT IN HIS OR HER OWN WORDS:							
SECTION III - INITIAL RANGE OF MOTION (<i>ROM</i>) MEASUREMENTS							
Measure ROM with a goniometer. During the examination be cognizant of painful motion, which could be evidenced by visible behavior such as facial	I expression, wincing,						
etc, on pressure or manipulation. Document painful movement in Section 5.							
Following the initial assessment of ROM, perform repetitive use testing. For VA purposes, repetitive use testing must be included in all joint example. The test of the offect of constitution and for the initial measurement, respectively to the offect of constitution and the initial measurement.							
that 3 repetitions of ROM (at a minimum) can serve as a representative test of the effect of repetitive use. After the initial measurement, reassess RO Report post-test measurements in guestion 4A.	ni aller 5 repetitions.						
3A. INITIAL ROM MEASUREMENTS							
If POM testing is not indicated for the veteran's condition or not able	to be performed,						
Knee Joint Movement ROM Measurement please explain why, and then proceed to Section 5							
Flexion							
(normal endpoint Not indicated							
= 140 degrees) Not able to perform							
RIGHT KNEE							
Extension Not indicated							
Not able to perform							
Flexion (normal endpoint D Not indicated							
= 140 degrees)							
KNEE							
Extension Not indicated							

SECTION III - INITIAL RANGE OF MOTION (ROM) MEASUREMENTS (Continued)								
3B. DO ANY ABNORMAL ROMS NOTED ABOVE CONTRIBUTE TO FUNCTIONAL LOSS?								
YES (you will be asked to further describe these limitation in Section 6 below)								
NO, EXPLAIN WHY THE ABNORMAL ROMS DO NOT CONTRIBUTE:								
		ORMAL RANGE OF MOTION IDENT	TIFIED ABOVE	BUT IS NORMAL FOR TH	HIS VETERAN (for rea	sons other than a knee		
condition,	such as age, body habitus, neur	ologic disease), EXPLAIN:						
	SEC	TION IV - ROM MEASUREMEN	ITS AFTER R	EPETITIVE USE TES	TING			
4A POST-TES								
			Is there addit	ional limitation in ROM		Post-test ROM		
Knee	Is the veteran able to	perform repetitive-use testing?		etitive-use testing?	Joint Movement	Measurement		
Yes If yes, perform repetitive-use testing			Yes	re is no change in ROM	Flexion			
	No If no, provid Section 6	le reason below, then proceed to	below, then proceed to No, there after repe		TIEXIOII			
RIGHT	Section o			ç				
KNEE				ROM after a minimum				
			of 3 repetition		Extension			
			If no, documentation of ROM after repetitive-use testing is not required.		Extension			
			iopodaro doo	looking is not roquirou.				
	Yes If yes, perfo	orm repetitive-use testing	Yes					
		le reason below, then proceed to		re is no change in ROM	Flexion			
Section 6		te reason below, then proceed to	No, there is no change in ROM after repetitive testing					
LEFT			16					
KNEE			of 3 repetition	ROM after a minimum				
			•		tation of ROM after Extension			
				testing is not required.				
		TIONO OF DOM, NOTED ADONE						
		TIONS OF ROMs NOTED ABOVE C		J FUNCTIONAL LUSS?				
	·	e these limitations in Section 6 belo	,					
NO, EXPLAIN WHY THE POST-TEST ADDITIONAL LIMITATIONS OF ROMS DO NOT CONTRIBUTE:								
		SECTIO	DN V - PAIN					
5A ROM MOV	EMENTS PAINEUL ON ACTIVE	PASSIVE AND/OR REPETITIVE US						
5/ (. T(C)W WOV								
	Are any ROM movements painful on active, passive							
	and/or repetitive use testing?	If yes (there are painful movement	nts), does the	If no (the pain does not contribute to functional loss or add.				
Knee			pain contribute to functional loss or		<i>limitation of ROM</i>), explain why the pain does not contribute			
	(If yes, identify whether active, passive, and/or repetitive use	additional limitation of ROM?		<i>umulation of KOM)</i> , explain why the pain does not contain				
	in question 5D)							
		Yes (you will be asked to fu	rther describe					
RIGHT	Yes	these limitations in Section	6 below)					
KNEE	No No	No No						
		Yes (you will be asked to fu	wthey descuites					
LEFT	Yes	these limitations in Section	6 below)					
KNEE	No	No	/					
		_						
5B. PAIN WHE	N USED IN WEIGHT-BEARING	OR IN NON WEIGHT-BEARING						
	Is there pain when the joint is							
	used in weight-bearing or non weight-bearing?	If yes (there is pain when used in v	veight-bearing	16		11 17		
Knee		or non weight-bearing), does the				onal loss or additional		
	(If yes, identify whether weight-	to functional loss or additional limit		umitation of ROM	(), explain why the pain	uces not contribute:		
	bearing or non weight-bearing in question 5D)							
	in question 5D)		uthou doacil					
RIGHT	Yes	Yes (you will be asked to fu these limitations in Section	riner aescribe 6 below)					
KNEE	No							
	Yes	Yes (you will be asked to fu	rther describe					
LEFT KNEE		these limitations in Section	o below)					
	No	No No						

SECTION V - PAIN (Continued)							
5C. LOCALIZE	D TENDERNESS OR PAIN ON PALPATION	I					
Knee	Does the Veteran have localized tenderness or pain to palpation of joints or soft tissue?	If yes, describe includi	ng location	, severity	and rela	tionship to cor	ndition(s) listed in the Diagnosis section
RIGHT KNEE	Yes No						
5D. COMMENT	S, IF ANY:						
SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM							
NOTE: The V							
NOTE: The VA defines functional loss as the inability, due to damage or infection in parts of the system, to perform normal working movements of the body with normal excursion, strength, speed, coordination and/or endurance. As regards the joints, factors of disability reside in reductions of their normal excursion of movements in different planes. Using information from the history and physical exam, select the factors below that contribute to functional loss or impairment (regardless of repetitive use) or to additional limitation of ROM after repetitive use for the joint or extremity being evaluated on this DBQ:							
6A. CONTRIBUTING FACTORS OF DISABILITY (check all that apply and indicate side affected):							
No functional loss for left lower extremity attributable to claimed condition No functional loss for right lower extremity attributable to claimed condition							
Less movement than normal (due to ankylosis, limitation or blocking, adhesions, Right Left Both tendon-tie-ups, contracted scars, etc.)							
More movement than normal (from flail joints, resections, nonunion of fractures, Right Both relaxation of ligaments, etc.)							
Weakened movement (due to muscle injury, disease or injury of peripheral nerves, divided or lengthened tendons, etc.) Right Left Both							
Excess fa	tigability		Rigl	nt 🗌	Left	Both	
Incoordina	Incoordination, impaired ability to execute skilled movements smoothly						
Pain on m	novement		Rigi	nt 🗌	Left	Both	
Swelling			Rigi	nt 🗌	Left	Both	
Deformity			Rigl	nt 🗌	Left	Both	
Atrophy o	fdisuse		Rigl	nt	Left	Both	
Instability	of station		Rigi	nt 🗌	Left	Both	
Disturban	ce of locomotion		Rigl	nt 🗌	Left	Both	
Interference with sitting Right Left Both							
Interference with standing Right Left Both							
Other, describe:							
NOTE: If any of the above factors is/are associated with limitation of motion, the examiner must give an opinion on whether pain, weakness, fatigability, or incoordination							
terms of the de	ntly limit functional ability during flare-ups or v gree of additional ROM loss due to pain on use	or during flare-ups. The fo	ollowing se				
	DF THE ABOVE FACTORS ASSOCIATED WITH es, complete questions 6C and 6D)	I LIMITATION OF MOTION	N?				
	, proceed to question 6D)						

					OSS AND ADDITIONAL LIMIT	ATION	OF ROM (Continued)
6C. CONTRIBUTING FACTORS OF DISABILITY ASSOCIATED WITH LIMITATION OF MOTION							
Knee	Can pain, weakne incoordination signific ability during flare-up used repeatedly ove	cantly limit s or when	functional the joint is	functional	e estimate ROM due to pain and/or loss during flare-ups or when the d repeatedly over a period of time:	whe	ere is a functional loss due to pain, during flare-ups and/or n the joint is used repeatedly over a period of time but the mitation of ROM cannot be estimated, please describe the functional loss:
RIGHT Image: Second s							
KNEE				Extension	Est. ROM is not feasible		
LEFT	Yes	□ No	_	Flexion	Est. ROM is not feasible		
KNEE				Extension	Est. ROM is not feasible		
IS THERE ANY FUNCTIONAL LOSS (not associated with limitation of motion) DURING FLARE-UPS OR WHEN THE JOINT IS USED REPEATEDLY OVER A PERIOD OF TIME OR OTHERWISE? RIGHT KNEE YES NO IF YES, DESCRIBE: LEFT KNEE YES NO IF YES, DESCRIBE:							
				SECTIO	N VII - MUSCLE STRENGTH TE	STING	
7A. MUSCL	E STRENGTH - RATE	STRENG	TH ACCORI		E FOLLOWING SCALE:		
0/5 No muscle movement 1/5 Palpable or visible muscle contraction, but no joint movement 2/5 Active movement with gravity eliminated 3/5 Active movement against gravity 4/5 Active movement against some resistance 5/5 Normal strength							
Knee	Flexion/ Extension	Rate Strength		eduction in strength?	If yes, is the reduction entirely due t claimed condition in the Diagnosis se		If no (the reduction is not entirely due to the claimed condition), provide rationale:
RIGHT KN	EE Flexion Extension	/5 /5	· 🗌 Yes	No	Yes No		
LEFT KNEE Flexion /5 Yes No Extension /5 Yes No							
7B. DOES THE VETERAN HAVE MUSCLE ATROPHY? YES NO IF YES, IS THE MUSCLE ATROPHY DUE TO THE CLAIMED CONDITION IN THE DIAGNOSIS SECTION? YES NO IF NO, PROVIDE RATIONALE: FOR ANY MUSCLE ATROPHY DUE TO A DIAGNOSES LISTED IN SECTION 1, INDICATE SIDE AND SPECIFIC LOCATION OF ATROPHY, PROVIDING MEASUREMENTS IN CENTIMETERS OF NORMAL SIDE AND CORRESPONDING ATROPHIED SIDE, MEASURED AT MAXIMUM MUSCLE BULK. LOCATION OF MUSCLE ATROPHY: RIGHT LOWER EXTREMITY (specify location of measurement such as "10cm above or below elbow"): CIRCUMFERENCE OF MORE NORMAL SIDE: cm							
7C. COMM	ENTS, IF ANY:						

		SECTION	I VIII - ANKYLOSIS					
NOTE: A	NOTE: Ankylosis is the immobilization and consolidation of a joint due to disease, injury or surgical procedure.							
COMPLET	E THIS SECTION IF THE VETERAN HAS	ANKYLOSIS OF THE KNE	E AND/OR LOWER LEG.					
8A. INDICA	TE SEVERITY OF ANKYLOSIS AND SIDE	AFFECTED (check all the	at apply):					
RIGHT SID		LEFT SIDE:						
Favor	Favorable angle in full extension or in slight flexion Favorable angle in full extension or in slight flexion between 0 and 10 degrees Favorable angle in full extension or in slight flexion							
In flexion between 10 and 20 degrees In flexion between 10 and 20 degrees								
In flexion between 20 and 45 degrees								
Extremely unfavorable, in flexion at an angle of 45								
	es or more		s or more					
		No ank	ylosis					
	TE ANGLE OF ANKYLOSIS IN DEGREES							
RIGHT SID								
N/A, I	no ankylosis of knee joint		ankylosis of knee joint					
	degrees	de	egrees					
8C. COMMENTS, IF ANY:								
SECTION IX - JOINT STABILITY TESTS NOTE: Subluxation and lateral instability refers only to the knee joint itself (tibio-femoral) and not to the patello-femoral portion of the joint.								
	RE A HISTORY OF RECURRENT SUBLU		tibio-femoral) and not to the pat	tello-femoral portion of the joint.				
Right:	None Slight Moderate							
Left:	None Slight Moderate							
Right:	None Slight Moderate	<u> </u>						
Left:	Left: None Slight Moderate Severe							
9C. IS THERE A HISTORY OF RECURRENT EFFUSION?								
YES NO IF YES, DESCRIBE:								
9D. PERFORMANCE OF JOINT STABILITY TESTING								
9D. PERFC	RMANCE OF JOINT STABILITY TESTING		Γ					
Knee	Was joint stability testing performed?	If joint stability testing was performed is there joint instability?	If yes (joint stability t	esting was performed), complete the section below:				
				Normal 21 (5.10 millim store)				
			Anterior instability (Lachman test)	Normal $2+(5-10 \text{ millimeters})$				
	No Not Indicated	No	(Eucliman lest)	1+(0-5 millimeters) 3+(10-15 millimeters)				
			Posterior instability	Normal 2+(5-10 millimeters)				
	Indicated, but not able to perform		(Posterior drawer					
RIGHT	If joint stability is indicated, but unable to test, provide reason:		test)	1+(0-5 millimeters) 3+(10-15 millimeters)				
KNEE			Medial instability	Normal 2+(5-10 millimeters)				
			(Apply valgus pressure to knee in extension and with	$\square 1+(0-5 \text{ millimeters}) \square 3+(10-15 \text{ millimeters})$				
			30 degrees of flexion):	1+(0-5 multimeters) $3+(10-15 multimeters)$				
			Lateral instability					
			(Apply valgus pressure to knee in extension and with	Normal 2+(5-10 millimeters) 1: (0.5 ::!!: 2: (10.15 ::!!:				
			30 degrees of flexion):	1+(0-5 millimeters) 3+(10-15 millimeters)				
				Normal 2+(5-10 millimeters)				
			Anterior instability (Lachman test)					
	No Not la diasta d	No	(Luchman lest)	1+(0-5 millimeters) 3+(10-15 millimeters)				
	Not Indicated		Posterior instability					
	Indicated, but not able to perform		(Posterior drawer	Normal $2+(5-10 \text{ millimeters})$				
LEFT	If joint stability is indicated, but unable to test, provide reason:		test)	1+(0-5 millimeters) 3+(10-15 millimeters)				
KNEE			Medial instability					
			(Apply valgus pressure to knee in extension and with	Normal $2+(5-10 \text{ millimeters})$				
			30 degrees of flexion):	1+(0-5 millimeters) 3+(10-15 millimeters)				
			Lateral instability					
			(Apply valgus pressure to knee in extension and with	Normal $2+(5-10 \text{ millimeters})$				
			30 degrees of flexion):	□ 1+(0-5 millimeters) □ 3+(10-15 millimeters)				

SECTION IX - JOINT STABILITY TESTS (Continued)					
9E. COMMENTS, IF ANY:					
SECTION X - ADDITIONAL COMMENTS					
10A. DOES THE VETERAN NOW HAVE OR HAS HE OR SHE EVER HAD RECURRENT PATELLAR DISLOCATION, "SHIN SPLINTS" (medial tibial stress syndrome), STRESS FRACTURES, CHRONIC EXERTIONAL COMPARTMENT SYNDROME OR ANY OTHER TIBIAL OR FIBULAR IMPAIRMENT? YES NO					
IF YES, INDICATE CONDITION AND COMPLETE THE APPROPRIATE SECTIONS BELOW:					
RECURRENT PATELLAR DISLOCATION					
IF CHECKED, INDICATE SEVERITY AND SIDE AFFECTED:					
Right: None Slight Moderate Severe Left: None Slight Moderate Severe					
"SHIN SPLINTS" (medial tibial stress syndrome) INDICATE SIDE AFFECTED: Right Left Both Does this condition affect ROM of knee? Yes No (If yes, complete ROM section of knee on this DBQ.) Does this condition affect ROM of ankle? Yes No (If yes, complete VA form 21-0960M-2 ANKLE CONDITIONS to document ROM of ankle.) Describe surpret surpretere: No (If yes, complete VA form 21-0960M-2 ANKLE CONDITIONS to document ROM of ankle.)					
STRESS FRACTURE OF THE LOWER LEG INDICATE SIDE AFFECTED: Right Left Both					
Does this condition affect ROM of ankle? Yes No (If yes, complete VA form 21-0960M-2 ANKLE CONDITIONS to document ROM of ankle.)					
Describe current symptoms:					
INDICATE SIDE AFFECTED: Right Left Both Does this condition affect ROM of ankle? Yes No (If yes, complete VA form 21-0960M-2 ANKLE CONDITIONS to document ROM of ankle.)					
Describe current symptoms:					
ACQUIRED AND/OR TRAUMATIC GENU RECURVATUM WITH OBJECTIVELY DEMONSTRATED WEAKNESS AND INSECURITY IN WEIGHT-BEARING.					
INDICATE SIDE AFFECTED:					
LEG LENGTH DISCREPANCY (shortening of any bones of the lower extremity) (If checked, provide length of each lower extremity in inches (to the nearest 1/4 inch) or centimeters measuring from the anterior superior iliac spine to the internal malleolus of the tibia.)					
Measurements: Right leg:					
For any leg length discrepancy, please describe the relationship to the conditions listed in the Diagnosis section above:					
10B. COMMENTS, IF ANY:					
SECTION XI - MENISCAL CONDITIONS					
11A. DOES THE VETERAN NOW HAVE OR HAS HE OR SHE EVER HAD A MENISCUS (semilunar cartilage) CONDITION?					
YES NO					
(If "Yes," indicate severity and frequency of symptoms, and side affected):					
RIGHT SIDE: LEFT SIDE:					
No current symptoms No current symptoms Meniscal dislocation Meniscal dislocation					
Meniscal dislocation Meniscal tear Meniscal tear					
Frequent episodes of joint "locking"					
Frequent episodes of joint pain Frequent episodes of joint pain					
Frequent episodes of joint effusion Frequent episodes of joint effusion Other Other					
11B. FOR ALL CHECKED BOXES ABOVE, DESCRIBE:					
HE FORME ONEONDOVE, DECONDE.					

SECTION XII - SURGICAL PROCEDURES						
12. INDICATE ANY SURGICAL PROCEDURES THAT THE VETERAN HAS HAD PER	RFORMED AND PROVIDE THE ADDITIONAL INFORMATION AS REQUESTED					
(check all that apply):						
RIGHT SIDE:	LEFT SIDE:					
TOTAL KNEE JOINT REPLACEMENT	TOTAL KNEE JOINT REPLACEMENT					
DATE OF SURGERY:	DATE OF SURGERY:					
RESIDUALS:	RESIDUALS:					
None	None					
Intermediate degrees of residual weakness, pain or limitation of motion	Intermediate degrees of residual weakness, pain or limitation of motion					
Chronic residuals consisting of severe painful motion or weakness	Chronic residuals consisting of severe painful motion or weakness					
Other, describe:	Other, describe:					
MENISCECTOMY, ARTHROSCOPIC OR OTHER KNEE SURGERY NOT	MENISCECTOMY, ARTHROSCOPIC OR OTHER KNEE SURGERY NOT					
DESCRIBED ABOVE:	DESCRIBED ABOVE:					
TYPE OF SURGERY:	TYPE OF SURGERY:					
DATE OF SURGERY:	DATE OF SURGERY:					
RESIDUAL SIGNS OF SYMPTOMS DUE TO MENISCECTOMY, ARTHROSCOPIC OR OTHER KNEE SURGERY NOT DESCRIBED ABOVE:	RESIDUAL SIGNS OF SYMPTOMS DUE TO MENISCECTOMY, ARTHROSCOPIC OR OTHER KNEE SURGERY NOT DESCRIBED ABOVE:					
DESCRIBE RESIDUALS:	DESCRIBE RESIDUALS:					
SECTION XIII - OTHER PERTINENT PHYSICAL FINDINGS, CON	MPLICATIONS, CONDITIONS, SIGNS, SYMPTOMS AND SCARS					
13A. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS,	COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS, OR ANY SCARS					
(surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATM	ENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?					
YES NO IF YES, COMPLETE QUESTIONS 13B-13D.						
13B. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?	COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS RELATED TO ANY					
YES NO IF YES, DESCRIBE (brief summary):						
13C. DOES THE VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO	O ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN					
THE DIAGNOSIS SECTION ABOVE?						
T YES NO						
IF YES, ARE ANY OF THESE SCARS PAINFUL OR UNSTABLE; HAVE A TOTAL AR	EA EQUAL TO OD ODEATED THAN 20 SOLIADE CM (6 course inches): OD ADE					
LOCATED ON THE HEAD, FACE OR NECK?	EA EQUAL TO OR GREATER THAN 39 SQUARE CM (0 squure inches), OR ARE					
YES NO IF YES, ALSO COMPLETE VA FORM 21-0960F-1, SCARS/DISFIGUREMENT.						
IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS.						
LOCATION MEASUREMENTS: length	cm X width cm.					
NOTE: An "unstable scar" is one where for any reason there is frequent loss of co	vering of the skin over the scar. If there are multiple scars, enter additional locations					
and measurements in Comment section below. It is not necessary to also complete a	Scars DBQ.					
13D. COMMENTS, IF ANY:						
SECTION XIV - AS	SSISTIVE DEVICES					
14A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES AS A NORMAL MODE O	OF LOCOMOTION, ALTHOUGH OCCASIONAL LOCOMOTION BY OTHER METHODS					
MAY BE POSSIBLE?						
TYES NO						
IF YES, IDENTIFY ASSISTIVE DEVICES USED (check all that apply and indicate free	equency).					
Wheelchair Frequency of use: Occasion						
Brace Frequency of use: Occasion						
Crutches Frequency of use: Occasion	nal 🔄 Regular 🔄 Constant					
Cane Frequency of use: Occasion	nal 🗌 Regular 🗌 Constant					
Walker Frequency of use: Occasion	al 🦳 Regular 📃 Constant					
Other: Frequency of use: Occasion						
14B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION	N AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION:					

SECTION XV - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES
15. DUE TO THE VETERAN'S KNEE OR LOWER LEG CONDITION(S), IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAIN OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.)
YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN.
IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT LOWER LEFT LOWER
FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary):
NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the same degree as if there were an amputation of the affected limb.
SECTION XVI - DIAGNOSTIC TESTING
NOTE: Testing listed below is not indicated for every condition. The diagnosis of degenerative arthritis (osteoarthritis) or traumatic arthritis must be confirmed by imaging studies. Once such arthritis has been documented, even if in the past, no further imaging studies are required by VA, even if arthritis has worsened.
16A. HAVE IMAGING STUDIES OF THE KNEE BEEN PERFORMED AND ARE THE RESULTS AVAILABLE?
IF YES, IS DEGENERATIVE OR TRAUMATIC ARTHRITIS DOCUMENTED?
YES NO IF YES, INDICATE KNEE: RIGHT LEFT BOTH
16B. ARE THERE ANY OTHER SIGNIFICANT DIAGNOSTIC TEST FINDINGS OR RESULTS?
16C. IS THERE OBJECTIVE EVIDENCE OF CREPITUS?
16D. IF ANY TEST RESULTS ARE OTHER THAN NORMAL, INDICATE RELATIONSHIP OF ABNORMAL FINDINGS TO DIAGNOSED CONDITIONS:
SECTION XVII - FUNCTIONAL IMPACT
NOTE: Provide the impact of only the diagnosed condition(s), without consideration of the impact of other medical conditions or factors, such as age.
 17. REGARDLESS OF THE VETERAN'S CURRENT EMPLOYMENT STATUS, DO THE CONDITION(S) LISTED IN THE DIAGNOSIS SECTION IMPACT HIS OR HER ABILITY TO PERFORM ANY TYPE OF OCCUPATIONAL TASK (such as standing, walking, lifting, sitting, etc.)? YES NO IF YES, DESCRIBE THE FUNCTIONAL IMPACT OF EACH CONDITION, PROVIDING ONE OR MORE EXAMPLES:

SECTION XIX - PHYSICIAN'S CERTIFICATION AND SIGNATUR	

CERTIFICATION - To the best of my knowledge, the information contained herein is accurate, complete and current.

19A. PHYSICIAN'S SIGNATURE		19B. PHYSICIAN'S PRINTED NAME		19C. DATE SIGNED
19D. PHYSICIAN'S PHONE NUMBER	19E. PHYSICIAN'S MEDICAL LICENSE NUMBER		19F. PHYSICIAN'S ADDRE	ESS

NOTE: VA may request additional medical information, including additional examinations, if necessary to complete VA's review of the veteran's application.

IMPORTANT - Physician please fax the completed form to

(VA Regional Office FAX No.)

NOTE: A list of VA Regional Office FAX Numbers can be found at www.vba.va.gov/disabilityexams or obtained by calling 1-800-827-1000.

PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58/VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the Federal Register. Your obligation to respond is required to obtain or retain benefits. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an individual benefits for refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.

RESPONDENT BURDEN: We need this information to determine entitlement to benefits (38 U.S.C. 501). Title 38, United States Code, allows us to ask for this information. We estimate that you will need an average of 30 minutes to review the instructions, find the information, and complete the form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at www.reginfo.gov/public/do/PRAMain. If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.