## 6.13. DBQ Initial Evaluation of Residuals of Traumatic Brain Injury(I-TBI) Disability Name of patient/Veteran: \_\_\_\_\_ SSN: Your patient is applying to the U. S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the Veteran's claim. **SECTION I** 1. Diagnosis Does the Veteran now have or has he/she ever had a traumatic brain injury (TBI) or any residuals of a TBI? ☐ Yes ☐ No If yes, select the Veteran's condition (check all that apply): Traumatic brain injury (TBI) ICD code: Date of diagnosis: Other diagnosed residuals attributable to TBI, specify: Other diagnosis #1: ICD code: ICD code: \_\_\_\_\_\_ Date of diagnosis: \_\_\_\_\_ Other diagnosis #2: ICD code: \_\_\_\_\_\_ Date of diagnosis: \_\_\_\_\_ Other diagnosis #3: ICD code: \_\_\_\_\_\_ Date of diagnosis: \_\_\_\_\_ Other diagnosis #4: ICD code: \_\_\_\_\_\_\_ Date of diagnosis: \_\_\_\_\_\_ If there are additional diagnoses that pertain to the residuals of a TBI, list using above format: \_\_\_\_\_\_ a. Describe the history (including onset and course) of the Veteran's TBI and residuals attributable to TBI (brief b. Was the Veteran exposed to any blasts? ☐ Yes ☐ No If yes, indicate number of blasts: ☐ 1 ☐ 2 ☐ 3 ☐ More than 3 Date of first blast exposure: Date of last blast exposure: How many blasts were severe enough to knock Veteran down or cause injury? □ 0 □ 1 □ 2 □ 3 □ More than 3 c. Does the Veteran's treatment plan include taking continuous medication for the diagnosed condition? ☐ Yes ☐ No If yes, list only those medications used for the diagnosed condition:

3. Evidence review	
Was medical evidence available for review as part of this examination?	
Yes No If yes, indicate evidence reviewed as part of this examination (check all that apply):	
□ VA claims file (C-file)     If checked, documents listed separately below that are included in a C-file do not need to be	additionally
indicated.	
<ul> <li>☐ Veterans Health Administration medical records (CPRS treatment records)</li> <li>☐ Civilian medical records</li> </ul>	
☐ Military service treatment records	
Military service personnel records	
Military enlistment examination	
☐ Military separation examination	
Military post-deployment questionnaire	
Department of Defense Form 214 separation document	
Previous disability decision letters	
<ul><li>☐ Correspondence and non-medical documents related to condition</li><li>☐ Interviews with collateral witnesses (family and others who have known the Veteran before a</li></ul>	nd after militar
service)	nu alter military
☐ Medical evidence brought to exam by Veteran	
If checked, describe:	
Other, describe:	
SECTION II. Assessment of cognitive impairment and other residuals of TBI	
OLO HOW II. ASSESSMENT OF COGNICITY CHIPMINION WHICH PESTAGRAGO OF FEM	
NOTE: For each of the following 10 facets of TBI-related cognitive impairment and subjective symptom	oms (facets 1-
10 below), select the ONE answer that best represents the Veteran's current functional status.	
Navusanavala la signi ta stiga garay na ad ta la graefagusad in audag ta la alala ta annugataly angusalata thi	tion If
Neuropsychological testing may need to be performed in order to be able to accurately complete this neuropsychological testing has been performed and accurately reflects the Veteran's current functio	
repeat testing is not required.	nai status,
repeat teeting to het required.	
1. Memory, attention, concentration, executive functions	
☐ No complaints of impairment of memory, attention, concentration, or executive functions	
A complaint of mild memory loss (such as having difficulty following a conversation, recalling	
conversations, remembering names of new acquaintances, or finding words, or often misplacing	items),
attention, concentration, or executive functions, but without objective evidence on testing	autiva
Objective evidence on testing of mild impairment of memory, attention, concentration, or exe functions resulting in mild functional impairment	cutive
Dijective evidence on testing of moderate impairment of memory, attention, concentration, o	or executive
functions resulting in moderate functional impairment	T OXOGULTO
Objective evidence on testing of severe impairment of memory, attention, concentration, or e	executive
functions resulting in severe functional impairment	
If the Veteran has complaints of impairment of memory, attention, concentration or executive fur	ictions,
describe (brief summary):	
2. Judgment	
Normal	
☐ Mildly impaired judgment. For complex or unfamiliar decisions, occasionally unable to identify	
and weigh the alternatives, understand the consequences of choices, and make a reasonable d	
☐ Moderately impaired judgment. For complex or unfamiliar decisions, usually unable to identif	
and weigh the alternatives, understand the consequences of choices, and make a reasonable d	ecision,
although has little difficulty with simple decisions	

	☐ Moderately severely impaired judgment. For even routine and familiar decisions, occasionally unable to identify, understand, and weigh the alternatives, understand the consequences of choices, and make a reasonable decision
	☐ Severely impaired judgment. For even routine and familiar decisions, usually unable to identify, understand, and weigh the alternatives, understand the consequences of choices, and make a reasonable decision. For example, unable to determine appropriate clothing for current weather conditions or judge when to avoid dangerous situations or activities.
	If the Veteran has impaired judgment, describe (brief summary):
3.	Social interaction
	Social interaction is routinely appropriate
	Social interaction is occasionally inappropriate Social interaction is frequently inappropriate
	Social interaction is inappropriate most or all of the time
lf t	he Veteran's social interaction is not routinely appropriate, describe (brief summary):
4. (	Orientation
	Always oriented to person, time, place, and situation
	<ul> <li>Occasionally disoriented to one of the four aspects (person, time, place, situation) of orientation</li> <li>Occasionally disoriented to two of the four aspects (person, time, place, situation) of orientation or often</li> </ul>
	disoriented to one aspect of orientation
	Often disoriented to two or more of the four aspects (person, time, place, situation) of orientation
	Consistently disoriented to two or more of the four aspects (person, time, place, situation) of orientation
	If the Veteran is not always oriented to person, time, place, and situation, describe (brief summary):
5.	Motor activity (with intact motor and sensory system)
	Motor activity normal
	☐ Motor activity is normal most of the time, but mildly slowed at times due to apraxia (inability to perform previously learned motor activities, despite normal motor function)
	Motor activity is mildly decreased or with moderate slowing due to apraxia
	Motor activity moderately decreased due to apraxia
	Motor activity severely decreased due to apraxia
	If the Veteran has any abnormal motor activity, describe (brief summary):
6. <sup>\</sup>	Visual spatial orientation
	Normal  Mildly impaired. Occasionally gets lost in unfamiliar ourroundings, has difficulty reading more or fellowing.
	☐ Mildly impaired. Occasionally gets lost in unfamiliar surroundings, has difficulty reading maps or following directions. Is able to use assistive devices such as GPS (global positioning system)
	☐ Moderately impaired. Usually gets lost in unfamiliar surroundings, has difficulty reading maps, following
	directions, and judging distance. Has difficulty using assistive devices such as GPS (global positioning system)
	Moderately severely impaired. Gets lost even in familiar surroundings, unable to use assistive devices such as GPS (global positioning system)
	Severely impaired. May be unable to touch or name own body parts when asked by the examiner, identify
	the relative position in space of two different objects, or find the way from one room to another in a familiar
	environment
	If the Veteran has impaired visual spatial orientation, describe (brief summary):
7.	Subjective symptoms
	No subjective symptoms
	☐ Subjective symptoms that do not interfere with work; instrumental activities of daily living; or work, family or other close relationships. Examples are: mild or occasional headaches, mild anxiety

☐ Three or more subjective symptoms that mildly interfere with work; instrumental activities of daily living; or work, family or other close relationships. Examples of findings that might be seen at this level of impairment are: intermittent dizziness, daily mild to moderate headaches, tinnitus, frequent insomnia, hypersensitivity to sound, hypersensitivity to light
☐ Three or more subjective symptoms that moderately interfere with work; instrumental activities of daily living; or work, family or other close relationships. Examples of findings that might be seen at this level of impairment are: marked fatigability, blurred or double vision, headaches requiring rest periods during most days
If the Veteran has subjective symptoms, describe (brief summary):
8. Neurobehavioral effects
NOTE: Examples of neurobehavioral effects of TBI include: irritability, impulsivity, unpredictability, lack of motivation, verbal aggression, physical aggression, belligerence, apathy, lack of empathy, moodiness, and lack of cooperation, inflexibility, and impaired awareness of disability. Any of these effects may range from slight to severe, although verbal and physical aggression are likely to have a more serious impact on workplace interaction and social interaction than some of the other effects.
☐ No neurobehavioral effects
☐ One or more neurobehavioral effects that do not interfere with workplace interaction or social interaction. ☐ One or more neurobehavioral effects that occasionally interfere with workplace interaction, social interaction, or both but do not produce them.
interaction, or both but do not preclude them  One or more neurobehavioral effects that frequently interfere with workplace interaction, social interaction, or both but do not preclude them
<ul> <li>One or more neurobehavioral effects that interfere with or preclude workplace interaction, social interaction or both on most days or that occasionally require supervision for safety of self or others</li> </ul>
If the Veteran has any neurobehavioral effects, describe (brief summary):
9. Communication  Able to communicate by spoken and written language (expressive communication) and to comprehend spoken and written language.
Comprehension or expression, or both, of either spoken language or written language is only occasionally impaired. Can communicate complex ideas.
Inability to communicate either by spoken language, written language, or both, more than occasionally but less than half of the time, or to comprehend spoken language, written language, or both, more than occasionally but less than half of the time. Can generally communicate complex ideas
☐ Inability to communicate either by spoken language, written language, or both, at least half of the time but not all of the time, or to comprehend spoken language, written language, or both, at least half of the time but not all of the time. May rely on gestures or other alternative modes of communication. Able to communicate basic needs
Complete inability to communicate either by spoken language, written language, or both, or to comprehend spoken language, written language, or both. Unable to communicate basic needs
If the Veteran is not able to communicate by or comprehend spoken or written language, describe (brief summary):
10. Consciousness  Normal Persistent altered state of consciousness, such as vegetative state, minimally responsive state, coma. If checked, describe altered state of consciousness (brief summary):
SECTION III
1. Residuals  Describe Veteran baye any subjective symptoms or any mortal inhysical or negretarious conditions are scienced.
attributable to a TBI (such as migraine headaches or Meniere's disease)?
Does the Veteran have any subjective symptoms or any mental, physical or neurological conditions or residuals attributable to a TBI (such as migraine headaches or Meniere's disease)?

September 2011

☐ Yes ☐ No
If yes, check all that apply:
Motor dysfunction
If checked, ALSO complete specific Joint or Spine Questionnaire for the affected joint or spinal area.
Sensory dysfunction
If checked, ALSO complete appropriate Cranial or Peripheral Nerve Questionnaire.
Hearing loss and/or tinnitus
If checked, ALSO complete a Hearing Loss and Tinnitus Questionnaire.
☐ Alteration of sense of smell or taste
If checked, ALSO complete a Loss of Sense of Smell and Taste Questionnaire.
Seizures
If checked, ALSO complete a Seizure Disorder Questionnaire.
☐ Gait, coordination, and balance
If checked, ALSO complete appropriate Questionnaire for underlying cause of gait and balance
disturbance, such as Ear Questionnaire.
☐ Speech (including aphasia and dysarthria)
If checked, ALSO complete appropriate Questionnaire.
☐ Neurogenic bladder
If checked, ALSO complete appropriate Genitourinary Questionnaire.
☐ Neurogenic bowel
If checked, ALSO complete appropriate Intestines Questionnaire.
☐ Cranial nerve dysfunction
If checked, ALSO complete a Cranial Nerves Questionnaire.
Skin disorders
If checked, ALSO complete a Skin and/or Scars Questionnaire.
☐ Endocrine dysfunction
If checked, ALSO complete an Endocrine Conditions Questionnaire.
☐ Erectile dysfunction
If checked, ALSO complete Male Reproductive Conditions Questionnaire.
☐ Headaches, including Migraine headaches
If checked, ALSO complete a Headache Questionnaire.
☐ Meniere's disease
If checked, ALSO complete an Ear Conditions Questionnaire.
☐ Mental disorder (including emotional, behavioral, or cognitive)
If checked, ALSO complete Mental Disorders or PTSD Questionnaire.
Other, describe:
If checked, ALSO complete appropriate Questionnaire.
2. Other pertinent physical findings, scars, complications, conditions, signs and/or symptoms
a. Does the Veteran have any scars (surgical or otherwise) related to any conditions or to the treatment of any
conditions listed in the Diagnosis section above?
☐ Yes ☐ No
If yes, are any of the scars painful and/or unstable, or is the total area of all related scars greater than 39 square
cm (6 square inches)?
☐ Yes ☐ No
If yes, also complete a Scars Questionnaire.
b. Does the Veteran have any other pertinent physical findings, complications, conditions, signs and/or
symptoms?
☐ Yes ☐ No
If yes, describe (brief summary):

3. Diagnostic testing NOTE: If diagnostic test results are in the medical record and reflect the Veteran's current TBI residuals, repeat testing is not required.
a. Has neuropsychological testing been performed?  Yes No If yes, provide date: Results:
b. Have diagnostic imaging studies or other diagnostic procedures been performed?  Yes No If yes, check all that apply:  Magnetic resonance imaging (MRI)  Date:  Results:  Computed tomography (CT)  Date:  Results:  EEG  Date:  Results:  Other, describe:  Results:  Results:
c. Has laboratory testing been performed?  Yes No  If yes, specify tests: Date: Results:
d. Are there any other significant diagnostic test findings and/or results?  Yes No If yes, provide type of test or procedure, date and results (brief summary):
4. Functional impact  Do any of the Veteran's residual conditions attributable to a traumatic brain injury impact his or her ability to work?  Yes No  If yes, describe impact of each of the Veteran's residual conditions attributable to a traumatic brain injury, providing one or more examples:
5. Remarks, if any:
Physician signature: Date: Physician printed name: Medical license #: Physician address:
Phone: Fax:

**NOTE**: VA may request additional medical information, including additional examinations if necessary to complete VA's review of the Veteran's application.