OMB Approved No. 2900-0776 Respondent Burden: 30 Minutes Expiration Date: 11/30/2017

INPORTANT _TITL DIFARTION OF WITERANS SERVING YOU WITE AND REPART REPAY OF DESIGN OF CONTROL REPORTS OF COST NUMERICAN CLARAD SUBJECT ON THE REPORTS OF COST NUMERIA DESCRIPTION OF DESCRIPTION OF DESIGN DESCRIPTION OF DESCRI	2 Department of Veterans Affairs	ARTERY AND VEIN CONDITIONS (VASCULAR DISE VEINS) DISABILITY BENEFITS QUE						
NOTE: TO FILINICIAN. Your patient is applying to the U.S. Department of Veterate Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the veteraris claim in the Revorter Own NGANOSIS In DOES THE VETERAN NOW HAVE OR HAS HE OR SHE EVER NGA VASCULAR DISEASE (ARTERIAL OR VENOUS)? In the Revorter Own NGANOSES THAT PERTAIN TO VASCULAR CONDITION(S): In BROWDE OWN NGANOSES THAT PERTAIN TO VASCULAR CONDITION(S): DATE OF DIAGNOSIS - In ROWDE OWN NGANOSES THAT PERTAIN TO VASCULAR CONDITION(S): DATE OF DIAGNOSIS - In ROWDE OWN NGANOSES THAT PERTAIN TO VASCULAR CONDITION(S): DATE OF DIAGNOSIS - In ROWDE OWN NGANOSES THAT PERTAIN TO VASCULAR DISEASES. LIST USING ABOVE FORMAT CC CODE - DARNOSIS # 3 - ICD CODE - DATE OF DIAGNOSIS - IC. IF THERE ARE ADDITIONAL DIAGNOSES THAT PERTAIN TO VASCULAR CONDITION(S) (Prevade a brief summary) Context of the summary	PROCESS OF COMPLETING AND/OR SUBMITT							
provide on this questionnaics a pair of their evaluation in processing the veterative claim.	NAME OF PATIENT/VETERAN	PATIENT/VE	TERAN'S SOCIAL SECURITY NUMBER					
IA. DOES THE VETERAN NOW HAVE OR HAS HE OR SHE EVER HAD AVASCULAR DISEASE (ARTERIAL OR VENOUS)? YES NO. (If "Fies," complete laws II/B IN ROVIDE ONLY DIAGNOSES THAT PERTAIN TO VASCULAR CONDITION(S) DATE OF DIAGNOSIS - DIAGNOSIS # 1 ICD CODE - DATE OF DIAGNOSIS - DIAGNOSIS # 1 ICD CODE - DATE OF DIAGNOSIS - DIAGNOSIS # 3 - ICD CODE - DATE OF DIAGNOSIS - DIAGNOSIS # 3 - ICD CODE - DATE OF DIAGNOSIS - 1C. IF THERE ARE ADDITIONAL DIAGNOSES THAT PERTAIN TO VASCULAR DISEASES, UST USING ABOVE FORMAT DATE OF DIAGNOSIS - 24. DESCRIBE THE CAUSE/ONSET OF THE VETERAN'S CUBRENT VASCULAR CONDITION(S) (Provide a brief samunary) Section IV: Arginera and/or post-philotis syndrom 25. COLOR - DESCRIBE THE CAUSE/ONSET OF THE VETERAN'S CUBRENT VASCULAR CONDITION(S) (Provide a brief samunary) 28. COLOR - DESCRIBE THE CAUSE/ONSET OF THE VETERAN'S CUBRENT VASCULAR CONDITION(S) (Provide a brief samunary) 28. COLOR - DESCRIBE THE CAUSE/ONSET OF THE VETERAN SCUBRENT VASCULAR CONDITION(S) (Provide a brief samunary) 28. COLOR - DESCRIBE THE CAUSE/ONSET OF THE VETERAN'S CUBRENT VASCULAR CONDITION(S) (Provide a brief samunary) 28. COLOR - DESCRIBE THE CAUSE/ONSET OF THE VETERAN'S CUBRENT VASCULAR CONDITION(S) (Provide a brief samunary) 28. DECON III ARUSCAN DISCREE SECON THIT APROVE SAMUNARY DI	NOTE TO PHYSICIAN - Your patient is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the veteran's claim.							
IDE PROVINCE ONLY DURADOSES THAT PERTAIN TO VASCULAR CONDITION(S): DURADOSIS # 1 IDE PROVINCE ONLY DURADOSES THAT PERTAIN TO VASCULAR CONDITION(S): DURADOSIS # 2 ICD CODE - DATE OF DURADOSIS - ICD CODE - ICD CODE - DATE OF DURADOSIS - ICD CODE - ICD CODE - DATE OF DURADOSIS - ICD CODE - ICD CODE - DATE OF DURADOSIS - ICD CODE -								
In PROVIDE ONLY DIAGNOSES THAT PERTAIN TO VASCULAR CONDITION(S): IDEADNOSES # 1 ICD CODE - DATE OF DIAGNOSES - DATE OF DIAGNOSE OF OF THE VETERANY DATE OF DATE OF DIAGNOSE OF DATE OF DIAGNOSE OF OF THE DIAGNOSE OF OF THELEBIT C SYNDROME OF ANY ETIOLOGY? YES OF OF YELEDITON (TARYONG THAT APPLY AND INOLCATE EXTERMITY AFFECTED: (DATE OF DIAGNOSE ANDORE SINK TAT APPLY AND INDICATE								
DIAGNOSIS # 1 - ICD CODE - DATE OF DIAGNOSIS - DIAGNOSIS # 2 - ICD CODE - DATE OF DIAGNOSIS - DIAGNOSIS # 3 - ICD CODE - DATE OF DIAGNOSIS - DIAGNOSIS # 3 - ICD CODE - DATE OF DIAGNOSIS - DIAGNOSIS # 3 - ICD CODE - DATE OF DIAGNOSIS - IC. IF THERE ARE ADDITIONAL DIAGNOSES THAT PERTAIN TO VASCULAR DISEASES, LIST USING ABOVE FORMAT DATE OF DIAGNOSIS - ZA. DESCRIBE THE CAUSE/ONSET OF THE VETERAANS CURRENT VASCULAR CONDITION(S) (<i>Provide a brief sammary</i>) The complexity of the veteread of the apply and then complete the corresponding Section(s) III-VIII) Section IV: varices valis and/or post-philebitic syndrome Section IV: varices and array (Section Array and array (Section Viii Varice a brief sammary) Section V. Andic anauyang of anall array Section VIII: Anteriorenead of Using and one-urgin of the same anally (Section VIIII) Section V. Andic anauyang of anall array Section VIII: Anteriorenead (VII) Section III · VARICOSE VEINS AND/OR POST- PHLEBITIC SYNDROME Section V. Marked condifice, complete Section IV Section VIIII · MENOSE VEING ARD SOFT-PHLEBITIC SYNDROME Section VIII: Anteriorenead (VIIIIIIII) Section VIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII								
DIAGNOSIS # 2 - ICD CODE - DATE OF DIAGNOSIS - DIAGNOSIS # 3 - ICD CODE - DATE OF DIAGNOSIS - IC. IF THERE ARE ADDITIONAL DIAGNOSES THAT PERTAIN TO VASCULAR DISEASES, LIST USING ABOVE FORMAT DATE OF DIAGNOSIS - SECTION II - MEDICAL HISTORY ZA DESCRIBE THE CAUSE/ONSET OF THE VETERANS CURRENT VASCULAR CONDITION(S) (<i>I'rovide a brief summary</i>) SECTION II - MEDICAL HISTORY ZA DESCRIBE THE CAUSE/ONSET OF THE VETERANS CURRENT VASCULAR CONDITION(S) (<i>I'rovide a brief summary</i>) Section II: Varicose veins and/or post phileblic syndrome Section II: Varicose VEINS AND/OR POST- PHLEBITIC SYNDROME Section II: Varicose VEINS AND/OR POST- PHLEBITIC SYNDROME Section II: Veiteran Neuver Mark II: Nonico TE EXTREMITY AFFECTED: Asymptomacic			DATE OF DIAGNOSIS -					
DIAGNOSIS # 3 - ICD CODE - DATE OF DIAGNOSIS - TC: IF THERE ARE ADDITIONAL DIAGNOSES THAT PERTAIN TO VASCULAR DISEASES, LIST USING ABOVE FORMAT Sector NI - MEDICAL HISTORY SECTION II - MEDICAL HISTORY 2A. DESCRIBE THE CAUGE/ONSET OF THE VETERAN'S CURRENT VASCULAR CONDITION(S) (Provide a brief summary) Section VI: Propheral vascular disease, aneurgen of any tage atary (roher than aorta), attein/octionase of the complete been of any tage atary (roher than aorta), attein/octionary and the complete been of any tage atary (roher than aorta), attein/octionary and the anglete addition, complete Section NI: Arrocose wells of the complete been of any tage atary (roher than aorta), attein/octionary and the addition and the addition and the addition of externing attein/octionary and the addition at the addition of externing attein/octionary and the addition atadity and the addition at the addition atadity additionar								
	DIAGNOSIS # 2 -	ICD CODE -	DATE OF DIAGNOSIS -					
SECTION II - MEDICAL HISTORY ZA DESCRIBE THE CAUSE/ONSET OF THE VETERAN'S CURRENT VASCULAR CONDITION(S) (Provide a brief summary) Section VI: Various verins and/or post-philebilic syndrome Section VI: Various verins and/or post-philebilic syndrome Section VI: Peripheral vascular disease, aneurysm of any large artery (other than aorta), arterios/devises obliterins or thrombo anglist obliterins of larger's Disease) Section VI: Raynaud's syndrome Section VI: Raynaud's syndrome Sa DOES THE VETERAN HAVE VARICOSE VEINS OR POST-PHILEBITIC SYNDROME OF ANY ETIOLOGY? YES YES NO (If 'Tes,' complete Bection D' Section VI: Analysing I and 3C) Right Left Both Asymptomatic viable varicose varias Right Left Both Asymptomatic viable varicose varias Right Left Both Section VI: Analysing I and I	DIAGNOSIS # 3 -	ICD CODE -	DATE OF DIAGNOSIS -					
SECTION II - MEDICAL HISTORY ZA DESCRIBE THE CAUSE/ONSET OF THE VETERAN'S CURRENT VASCULAR CONDITION(S) (Provide a brief summary) Section VI: Various verins and/or post-philebilic syndrome Section VI: Various verins and/or post-philebilic syndrome Section VI: Peripheral vascular disease, aneurysm of any large artery (other than aorta), arterios/devises obliterins or thrombo anglist obliterins of larger's Disease) Section VI: Raynaud's syndrome Section VI: Raynaud's syndrome Sa DOES THE VETERAN HAVE VARICOSE VEINS OR POST-PHILEBITIC SYNDROME OF ANY ETIOLOGY? YES YES NO (If 'Tes,' complete Bection D' Section VI: Analysing I and 3C) Right Left Both Asymptomatic viable varicose varias Right Left Both Asymptomatic viable varicose varias Right Left Both Section VI: Analysing I and I								
2A. DESCRIBE THE CAUSE/ONSET OF THE VETERAN'S CURRENT VASCULAR CONDITION(S) (Provide a brief summary) 2B. TYPE OF VASCULAR DISEASE CONDITION (Check all that apply and then complete the corresponding Section(s) III-VIII) Section III: Varioose veins and/or post-philebitic syndrome Section IV: Peripheral vascular disease, aneurysm of any large aftery (other than aorta), arteriosterois obilterans of thrombo-angits obilterans (Buerger's Disease) Section V: Antic aneurysm Section VI: Aneurysm of a small artery Section VI: Aneurysm of a small artery Section VI: Aneurysm of a small artery Section VI: Aneurysm of a Section IX Regardless of checked condition, complete Section IX Regardless of checked condition, complete Section IX Section VI: Arteriovenous (AI') fistula, angioneurotic edema or erythromelalgia Regardless of Checked condition, complete Items 38 and 3C) 38. OEGS THE VETERAN HAVE VARICOSE VEINS OR POST-PHLEBITIC SYNDROME OF ANY ETIOLOGY? YES NO (ff''res, " complete Items 38 and 3C) 38. CHECK ALL SYMPTOMS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Asymptomatic valiable varicose veins Right Left Both Symptoms relieved by elevation of extremity Right Left Both Symptoms relieved by elevation of extremity Right Left Both <th colspan="7"></th>								
28. TYPE OF VASCULAR DISEASE CONDITION (Check all that apply and then complete the corresponding Section(s) III-VIII) Section III: Varicose veins and/or post-philebitic syndrome Section IV: Peripheral vascular disease, aneurysm of any large artery (other than aorta), anteriosclerosis obliterans or thrombo-anglits obliterans (Buerger's Disease) Section V: Andie aneurysm Section V: Andie aneurysm Section VI: Raynaud's syndrome Section VI: Raynaud's syndrome Section VI: Raynaud's syndrome Section VII: Atteriovenous (AIV) fistula, angioneurotic edema or erythromelalgia Regardless of checked condition, complete Section IX Section VII: Atteriovenous (AIV) fistula, angioneurotic edema or erythromelalgia Regardless of checked condition, complete Section IX Section VII: Anteriovenous (AIV) fistula, angioneurotic edema of erythromelalgia Regardless of checked condition, complete Section IX Section VII: Anteriovenous (AIV) fistula, angioneurotic edema of erythromelalgia An DOES THE VETERAN HAVE VARICOSE VEINS OR POST-PHLEBITIC SYNDROME OF ANY ETIOLOGY? YES NO ((f'''se, '' complete items 3B and 3C) Section VII: Anyana transpan="2">Section VII: Anapply and transpan="2" <								
Section III: Varicose veins and/or post-phlebilic syndrome Section IV: Peripheral vascular disease, aneurysm of any large artery (other than aorta), arterioscelerosis obliterans or thrombo-anglits obliterans (Buerger's Disease) Section V: Antic aneurysm Section VI: Raynaud's syndrome Section VI: Aneurysm of a small artery Section VI: Anteriovenous (AIV) fistula, angioneurotic edema or erythromelalgia Regardless of checked condition, complete Section IX SECTION III - VARICOSE VEINS AND/OR POST - PHLEBITIC SYNDROME 3A. DOES THE VETERAN HAVE VARICOSE VEINS ON POST-PHLEBITIC SYNDROME 3A. DOES THE VETERAN HAVE VARICOSE VEINS ON POST-PHLEBITIC SYNDROME OF ANY ETIOLOGY? YES NO (If'Yes," complete Items 3B and 3C) 3B. CHECK ALL SYMPTOMS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Asymptomatic visible varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Symptoms relieved by elevation of extremity Right Left Both Symptoms relieved by compression hosiery Right Left Both Symptoms relieved by compression hosiery Right Left Both Persistent stais pigmentation or eczema Right Left Both Persistent stais is incompletely Right Left Both Persistent stais incompletely Right Left Both Persistent stais pigmentation or eczema Right Left Both Persistent stais pigmentation of extremity Right Left Both Persistent stais pigmentation Right Left Both Persistent stabucthereous induration Right Left Both Persistent stabucthereous induration Right	2A. DESCRIBE THE CAUSE/ONSET OF THE VETER/	AN'S CURRENT VASCULAR CONDITION(S) (Provide a brief summary)						
Section III: Varicose veins and/or post-phlebilic syndrome Section IV: Peripheral vascular disease, aneurysm of any large artery (other than aorta), arterioscelerosis obliterans or thrombo-anglits obliterans (Buerger's Disease) Section V: Antic aneurysm Section VI: Raynaud's syndrome Section VI: Aneurysm of a small artery Section VI: Anteriovenous (AIV) fistula, angioneurotic edema or erythromelalgia Regardless of checked condition, complete Section IX SECTION III - VARICOSE VEINS AND/OR POST - PHLEBITIC SYNDROME 3A. DOES THE VETERAN HAVE VARICOSE VEINS ON POST-PHLEBITIC SYNDROME 3A. DOES THE VETERAN HAVE VARICOSE VEINS ON POST-PHLEBITIC SYNDROME OF ANY ETIOLOGY? YES NO (II' Yes," complete Items 3B and 3C) 3B. CHECK ALL SYMPTOMS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Asymptomatic visible varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Symptoms relieved by elevation of extremity Right Left Both Symptoms relieved by compression hosiery Right Left Both Symptoms relieved by compression hosiery Right Left Both Persistent stais pigmentation or eczema Right Left Both Persistent stais is incompletely Right Left Both Persistent stais incompletely Right Left Both Persistent stais incompletely Right Left Both Persistent stais pigmentation of extremity Right Left Both Persistent stais pigmentation Right Left Both Persistent stabucthereous induration R								
Section III: Varicose veins and/or post-phlebilic syndrome Section IV: Peripheral vascular disease, aneurysm of any large artery (other than aorta), arterioscelerosis obliterans or thrombo-anglits obliterans (Buerger's Disease) Section V: Antic aneurysm Section VI: Raynaud's syndrome Section VI: Aneurysm of a small artery Section VI: Anteriovenous (AIV) fistula, angioneurotic edema or erythromelalgia Regardless of checked condition, complete Section IX SECTION III - VARICOSE VEINS AND/OR POST - PHLEBITIC SYNDROME 3A. DOES THE VETERAN HAVE VARICOSE VEINS ON POST-PHLEBITIC SYNDROME 3A. DOES THE VETERAN HAVE VARICOSE VEINS ON POST-PHLEBITIC SYNDROME OF ANY ETIOLOGY? YES NO (II' Yes," complete Items 3B and 3C) 3B. CHECK ALL SYMPTOMS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Asymptomatic visible varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Symptoms relieved by elevation of extremity Right Left Both Symptoms relieved by compression hosiery Right Left Both Symptoms relieved by compression hosiery Right Left Both Persistent stais pigmentation or eczema Right Left Both Persistent stais is incompletely Right Left Both Persistent stais incompletely Right Left Both Persistent stais incompletely Right Left Both Persistent stais pigmentation of extremity Right Left Both Persistent stais pigmentation Right Left Both Persistent stabucthereous induration R								
Section VI: Aneurysm of a small artery Section VII: Raynaud's syndrome Section VIII: Arteriovenous (AI') fistula, angioneurotic edema or erythromelalgia Regardless of checked condition, complete Section IX Section VIII: Arteriovenous (AI') fistula, angioneurotic edema or erythromelalgia Regardless of checked condition, complete Section IX Section III - VARICOSE VEINS AND/OR POST- PHLEBITIC SYNDROME Section VIII: Arteriovenous (AI') fistula, angioneurotic edema or erythromelalgia Regardless of checked condition, complete Items 3B and 3C) 3B. CHECK ALL SYMPTOMS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Asymptomatic palpable varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Symptoms relieved by elevation of extremity Right Left Both Symptoms relieved by compression hosiery Right Left Both Symptoms relieved by compression hosiery Right Left Both Persistent stasis pigmentation or eczema Right Left Both Intermittent ulceration Right Left Both Persistent stasis pigmentation or eczema Right <td colspan="7"> Section III: Varicose veins and/or post-phlebitic syndrome Section IV: Peripheral vascular disease, aneurysm of any large artery (other than aorta), </td>	 Section III: Varicose veins and/or post-phlebitic syndrome Section IV: Peripheral vascular disease, aneurysm of any large artery (other than aorta), 							
Section VII: Raynaud's syndrome Section VIII: Arteriovenous (AV) fistula, angioneurotic edema or erythromelalgia Regardless of checked condition, complete Section IX SECTION III - VARICOSE VEINS AND/OR POST- PHLEBITIC SYNDROME 3A. DOES THE VETERAN HAVE VARICOSE VEINS OR POST-PHLEBITIC SYNDROME OF ANY ETIOLOGY? YES NO (If "Yes," complete Items 3B and 3C) 3B. CHECK ALL SYMPTOMS THAT APPLY AND INDICATE EXTERMITY AFFECTED: Asymptomatic palpalbe varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Asymptoms relieved by elevation of extremity Right Left Both Symptoms relieved by compression hosiery Right Left Both Symptoms relieved by compression hosiery Right Left Both Incipient stasis pigmentation or eczema Right Left Both Persistent stasis pigmentation or eczema Right Left Both Intermittent decration Right Left Both Intermittent decration Right Left Both Incipient stasis pigmentation or eczema Right Left Both <		Section V: Aortic aneurysm						
Section VIII: Atteriovenous (<i>AIV</i>) fistula, angioneurotic edema or erythromelalgia Regardless of checked condition, complete Section IX SECTION III - VARICOSE VEINS AND/OR POST- PHLEBITIC SYNDROME 3A. DOES THE VETERAN HAVE VARICOSE VEINS OR POST-PHLEBITIC SYNDROME OF ANY ETIOLOGY? YES NO (If "Yes," complete Items 3B and 3C) 38. CHECK ALL SYMPTOMS THAT APPLY AND INDICATE EXTREMITY AFFECTED: A symptomatic visible varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Aching and fatigue in leg after prolonged standing or walking Right Left Both Symptoms relieved by elevation of extremity Right Left Both Symptoms relieved by compression hosiery Right Left Both Incipient stasis pigmentation or eczema Right Left Both Persistent stasis pigmentation or eczema Right Left Both Intermittent ulceration Right Left Both Intermittent ulceration Right Left Both Persistent dema at its incompletely Right Left Both Pere								
Regardless of checked condition, complete Section X SECTION III - VARICOSE VEINS AND/OR POST- PHLEBITIC SYNDROME 3A. DOES THE VETERAN HAVE VARICOSE VEINS OR POST-PHLEBITIC SYNDROME OF ANY ETIOLOGY? YES NO (ff "Yes," complete Items 3B and 3C) 3B. CHECK ALL SYMPTOMS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Asymptomatic palpable varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Symptoms relieved by elevation of extremity Right Left Both Symptoms relieved by compression hosiery Right Left Both Symptoms relieved by compression nosiery Right Left Both Intermittent ulceration or eczema Right Left Both Intermittent ulceration or eczema Right Left Both Intermittent ulceration or eczema Right Left Both Persistent edema that is incompletely Right Left Both Pe								
SECTION III - VARICOSE VEINS AND/OR POST- PHLEBITIC SYNDROME 3A. DOES THE VETERAN HAVE VARICOSE VEINS OR POST-PHLEBITIC SYNDROME OF ANY ETIOLOGY? YES NO (If "Yes," complete Items 3B and 3C) 3B. CHECK ALL SYMPTOMS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Asymptomatic palpable varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Aching and fatigue in leg after prolonged standing or walking Right Left Both Symptoms relieved by elevation of extremity Right Left Both Symptoms relieved by compression hosiery Right Left Both 3C. CHECK ALL FINDINGS AND/OR SIGNS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Incipient stasis pigmentation or eczema Right Left Both 9 ersistent stasis pigmentation or eczema Right Left Both 11 Intermittent duceration Right Left Both Effect Both 9 ersistent stasis pigmentation or eczema Right Left Both Effect Both Effect Both <								
3A. DOES THE VETERAN HAVE VARICOSE VEINS OR POST-PHLEBITIC SYNDROME OF ANY ETIOLOGY? YES NO (If "Yes," complete Items 3B and 3C) 3B. CHECK ALL SYMPTOMS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Asymptomatic palpable varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Aching and fatigue in leg after prolonged standing or walking Right Left Both Symptoms relieved by elevation of extremity Right Left Both Symptoms relieved by compression hosiery Right Left Both Symptoms relieved by compression hosiery Right Left Both 3C. CHECK ALL FINDINGS AND/OR SIGNS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Incipient stasis pigmentation or eczema Right Left Both 9cs. CHECK ALL FINDINGS AND/OR SIGNS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Incipient stasis pigmentation or eczema Right Left Both 1ncipient stasis pigmentation or eczema Right Left Both Presistent stasis pigmentation or ec								
YES NO (If "Yes," complete Items 3B and 3C) 3B. CHECK ALL SYMPTOMS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Asymptomatic palpable varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Symptoms relieved by elevation of extremity Right Left Both Symptoms relieved by compression hosiery Right Left Both Symptoms relieved by compression hosiery Right Left Both 3C. CHECK ALL FINDINGS AND/OR SIGNS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Incipient stasis pigmentation or eczema Right Left Both Persistent stasis pigmentation or eczema Right Left Both Intermittent ulceration Right Left Both Intermittent deema of extremity Right Left Both Persistent edema of extremity Right Left Both Persistent edema of extremity Right Left Both Peresist			1E					
3B. CHECK ALL SYMPTOMS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Asymptomatic palpable varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Aching and fatigue in leg after prolonged standing or walking Right Left Both Symptoms relieved by elevation of extremity Right Left Both Symptoms relieved by compression hosiery Right Left Both 3C. CHECK ALL FINDINGS AND/OR SIGNS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Incipient stasis pigmentation or eczema Right Left Both Persistent stasis pigmentation or eczema Right Left Both Intermittent ulceration Right Left Both Intermittent dedma of extremity Right Left Both Persistent edema that is incompletely Right Left Both Persistent edema and remity Right Left								
Asymptomatic palpable varicose veins Right Left Both Asymptomatic visible varicose veins Right Left Both Aching and fatigue in leg after prolonged standing or walking Right Left Both Symptoms relieved by elevation of extremity Right Left Both Symptoms relieved by compression hosiery Right Left Both 3C. CHECK ALL FINDINGS AND/OR SIGNS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Incipient stasis pigmentation or eczema Right Left Both Persistent stasis pigmentation or eczema Right Left Both Intermittent ulceration Right Left Both Intermittent dema of extremity Right Left Both Persistent edema that is incompletely relieved by elevation of extremity Right Left Both Persistent edema Right Left Both Both Persistent edema that is incompletely relieved by elevation of extremity Right Left Both Persistent edema Right Left Both Both Persistent edema Right Left Both <td></td> <td>·</td> <td></td>		·						
Asymptomatic visible varicose veins Right Left Both Aching and fatigue in leg after prolonged standing or walking Right Left Both Symptoms relieved by elevation of extremity Right Left Both Symptoms relieved by compression hosiery Right Left Both 3C. CHECK ALL FINDINGS AND/OR SIGNS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Incipient stasis pigmentation or eczema Right Left Both Persistent stasis pigmentation or eczema Right Left Both Intermittent ulceration Right Left Both Persistent stasis pigmentation or eczema Right Left Both Persistent edema of extremity Right Left Both Persistent edema Right Left Both Massive board-like edema Right Left Both								
Symptoms relieved by elevation of extremity Right Left Both Symptoms relieved by compression hosiery Right Left Both 3C. CHECK ALL FINDINGS AND/OR SIGNS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Incipient stasis pigmentation or eczema Right Left Both Persistent stasis pigmentation or eczema Right Left Both Intermittent ulceration Right Left Both Intermittent edema of extremity Right Left Both Persistent edema Right Left Both Massive board-like edema Right Left Both								
Symptoms relieved by compression hosiery Right Left Both 3C. CHECK ALL FINDINGS AND/OR SIGNS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Incipient stasis pigmentation or eczema Right Left Both Persistent stasis pigmentation or eczema Right Left Both Intermittent ulceration Right Left Both Intermittent ulceration Right Left Both Persistent edema of extremity Right Left Both Persistent edema of extremity Right Left Both Persistent edema that is incompletely relieved by elevation of extremity Right Left Both Persistent edema Right L								
3C. CHECK ALL FINDINGS AND/OR SIGNS THAT APPLY AND INDICATE EXTREMITY AFFECTED: Incipient stasis pigmentation or eczema Right Left Both Persistent stasis pigmentation or eczema Right Left Both Intermittent ulceration Right Left Both Intermittent edema of extremity Right Left Both Persistent edema that is incompletely relieved by elevation of extremity Right Left Both Persistent edema Right Left Both Persistent edema Right Left Both Persistent edema that is incompletely relieved by elevation of extremity Right Left Both Persistent edema Right Left Both Massive board-like edema Right Left Both	Symptoms relieved by elevation of extremity	Right Left Both						
Incipient stasis pigmentation or eczema Right Left Both Persistent stasis pigmentation or eczema Right Left Both Intermittent ulceration Right Left Both Intermittent edema of extremity Right Left Both Persistent edema that is incompletely relieved by elevation of extremity Right Left Both Persistent edema Right Left Both Persistent edema Right Left Both Massive board-like edema Right Left Both	Symptoms relieved by compression hosiery	Right Left Both						
Persistent stasis pigmentation or eczema Right Left Both Intermittent ulceration Right Left Both Intermittent edema of extremity Right Left Both Persistent edema that is incompletely relieved by elevation of extremity Right Left Both Persistent edema Right Left Both Persistent edema Right Left Both Massive board-like edema Right Left Both								
Intermittent ulceration Right Left Both Intermittent edema of extremity Right Left Both Persistent edema that is incompletely relieved by elevation of extremity Right Left Both Persistent edema Right Left Both Persistent edema Right Left Both Persistent subcutaneous induration Right Left Both Massive board-like edema Right Left Both	Incipient stasis pigmentation or eczema	🗌 Right 📃 Left 📃 Both						
Intermittent edema of extremity Right Left Both Persistent edema that is incompletely relieved by elevation of extremity Right Left Both Persistent edema Right Left Both Persistent edema Right Left Both Massive board-like edema Right Left Both	Persistent stasis pigmentation or eczema	Right Left Both						
Persistent edema that is incompletely relieved by elevation of extremity Right Left Both Persistent edema Right Left Both Persistent subcutaneous induration Right Left Both Massive board-like edema Right Left Both	Intermittent ulceration	Right Left Both						
relieved by elevation of extremity Right Left Both Persistent edema Right Left Both Massive board-like edema Right Left Both								
Persistent edema Right Left Both Persistent subcutaneous induration Right Left Both Massive board-like edema Right Left Both		🔄 Right 🔄 Left 🔄 Both						
Persistent subcutaneous induration Right Left Both Massive board-like edema Right Left Both		Right Left Both						
	Persistent subcutaneous induration							
Constant pain at rest	Massive board-like edema	Right Left Both						
	Constant pain at rest	Right Left Both						

VA FORM 21-0960A-2

SECTION IV - PERIPHERAL VASCULAR DISEASE, ANEURYSM OF ANY LARGE ARTERY (OTHER THAN AORTA) ARTERIOSCLEROSIS					
OBLITERANS OR THROMBO-ANGIITIS OBLITERANS (BUERGER'S DISEASE) 4A. HAS THE VETERAN EVER BEEN DIAGNOSED WITH PERIPHERAL VASCULAR DISEASE, ANEURYSM OF ANY LARGE ARTERY (OTHER THAN AORTA)					
ARTERIOSCLEROSIS OBLITERANS OR THROMBO-ANGIITIS OBLITERANS (BUERGER'S DISEASE)? (Check all that apply):					
Peripheral vascular disease					
Aneurysm of any large artery (other than aorta)					
Arteriosclerosis obliterans					
Thrombo-angiitis obliterans (Buerger's Disease)					
None of the above					
(If any of the above conditions are checked, answer questions 4B - 4D)					
4B. HAS THE VETERAN UNDERGONE SURGERY FOR ANY OF THESE LISTED CONDITIONS?					
YES NO (If "Yes," list type of surgery): Date of surgery:	_)				
4C. HAS THE VETERAN UNDERGONE ANY PROCEDURE (OTHER THAN SURGERY) FOR REVASCULARIZATION?					
YES NO (If "Yes," list type of procedure): Date of procedure:)				
4D. INDICATE SEVERITY OF CURRENT SIGNS AND SYMPTOMS AND INDICATE EXTREMITY AFFECTED: (Check all that apply)					
Claudication on walking more than 100 yards					
Claudication on walking between 25 and 100 yards on a level grade at 2 miles per hour Right Both					
Claudication on walking less than 25 yards on a level grade at 2 miles per hour					
Persistent coldness of the extremity Right Left					
Diminished peripheral pulses Right Left Both					
Ischemic limb pain at rest Right Left Both					
Image: Trophic changes (thin skin, absence of hair, dystrophic nails) Image: Right Left Both Image: Trophic changes (thin skin, absence of hair, dystrophic nails) Image: Right Left Both					
I or more deep ischemic ulcers Right Left Both					
SECTION V - AORTIC ANEURYSM					
5A. HAS THE VETERAN EVER BEEN DIAGNOSED WITH AN AORTIC ANEURYSM?					
YES NO (If "Yes," complete Item 5B)					
5B. HAS THE VETERAN HAD A SURGICAL PROCEDURE FOR AN AORTIC ANEURYSM?					
YES NO (If "Yes," indicate type of surgery): Date of surgery:)				
5C. DOES THE VETERAN CURRENTLY HAVE AN AORTIC ANEURYSM?					
YES NO (If "Yes," indicate severity):					
5 centimeters or larger in diameter YES NO					
Precludes exertion YES NO					
5D. DOES THE VETERAN HAVE ANY POST-SURGICAL RESIDUALS DUE TO TREATMENT FOR AORTIC ANEURYSM?					
YES NO (If "Yes," describe):					
(If there are symptoms or post-surgical residuals, ALSO complete appropriate Questionnaire according to body system affected)					
SECTION VI - ANEURYSM OF A SMALL ARTERY					
6A. HAS THE VETERAN BEEN DIAGNOSED WITH AN ANEURYSM OF A SMALL ARTERY?					
YES NO (If "Yes," complete Item 6B)					
6B. HAS THE VETERAN HAD A SURGICAL PROCEDURE FOR AN ANEURYSM OF A SMALL ARTERY?					
YES NO (If "Yes," list type of surgery): Date of surgery:					
6C. DOES THE VETERAN CURRENTLY HAVE AN ANEURYSM OF A SMALL ARTERY?					
YES NO (If "Yes," is the condition symptomatic?)					
YES NO (If "Yes," describe):					
(Also complete appropriate Questionnaire according to body system affected)	—				
6D. DOES THE VETERAN HAVE ANY POST-SURGICAL RESIDUALS DUE TO TREATMENT FOR AN ANEURYSM OF A SMALL ARTERY?					
YES NO (If "Yes," describe):					
(If there are symptoms or post-surgical residuals, ALSO complete appropriate Questionnaire according to body system affected)					
SECTION VII - RAYNAUD'S SYNDROME					
7A. DOES THE VETERAN HAVE RAYNAUD'S SYNDROME?					
YES NO (If "Yes," complete Item 7B)					

SECTION VII - RAYNAUD'S SYNDROME (Continued)
NOTE: Characteristic attacks consist of sequential color changes of the digits of one or more extremities lasting minutes to hours, sometimes with pain and paresthesias, and precipitated by exposure to cold or by emotional upsets.
7B. DOES THE VETERAN HAVE CHARACTERISTIC ATTACKS?
YES NO (If "Yes," indicate frequency of characteristic attacks):
Less than once a week
1 to 3 times a week
4 to 6 times a week
At least daily
7C. DOES THE VETERAN HAVE TWO OR MORE DIGITAL ULCERS?
YES NO
7D. DOES THE VETERAN HAVE AUTOAMPUTATION OF ONE OR MORE DIGITS?
SECTION VIII - ARTERIOVENOUS (AV) FISTULA, ANGIONEUROTIC EDEMA OR ERYTHROMELALGIA
8A. DOES THE VETERAN HAVE ARTERIOVENOUS (AV) FISTULA, ANGIONEUROTIC EDEMA OR ERYTHROMELALGIA?
YES NO (If "Yes," complete Items 8B through 8D)
8B. DOES THE VETERAN HAVE A TRAUMATIC ARTERIOVENOUS (AV) FISTULA?
YES NO (If "Yes," indicate site of traumatic fistula):
Right upper extremity
Right lower extremity
Other location, (Specify):
8C. INDICATE FINDINGS:
Edema
Stasis dermatitis
Ulceration
Cellulitis
Enlarged heart
Wide pulse pressure
Tachycardia
High output heart failure
8D. IS THERE MORE THAN ONE TRAUMATIC AV FISTULA?
YES NO (If "Yes," provide location and findings for each):
8E. DOES THE VETERAN HAVE ANGIONEUROTIC EDEMA?
YES NO (If "Yes," indicate severity and frequency of characteristic attacks):
Without laryngeal involvement
With laryngeal involvement
Lasts 1 to 7 days
Lasts longer than 7 days
Occurs once a year or less
Occurs 1 to 2 times a year
Occurs 2 to 4 times a year
Occurs 5 to 8 times a year
Occurs more than 8 times a year

SECTION VIII - ARTERIOVENOUS (AV) FISTULA, ANGIONEUROTIC EDEMA OR ERYTHROMELALGIA (Continued)					
NOTE: Characteristic attack of erythromelalgia consists of burning pain in the hands, feet or both, usually bilateral and symmetrical, with increased skin temperature and redness, occurring at warm ambient temperatures.					
8F. DOES THE VETERAN HAVE ERYTHROMELALGIA?					
YES NO (If "Yes," indicate severity and frequency of characteristic attacks):					
Does not restrict most routine daily activities					
Restricts most routine daily activities					
Occurs less than 3 times a week					
Occurs at least 3 times a week					
Occurs more than once a day					
Lasts an average of more than 2 hours each Responds to treatment					
Responds poorly to treatment					
SECTION IX - MISCELLANEOUS ISSUES					
9A. HAS THE VETERAN HAD AN AMPUTATION OF AN EXTREMITY DUE TO A VASCULAR CONDITION?					
YES NO (If "Yes," ALSO complete VA Form 21-0960M-1, Amputations Disability Benefits Questionnaire)					
9B. DOES THE VETERAN USE ANY ASSISTIVE DEVICE(S) AS A NORMAL MODE OF LOCOMOTION, ALTHOUGH OCCASIONAL LOCOMOTION BY OTHER METHODS MAY BE POSSIBLE?					
YES NO (If "Yes," identify assistive device(s) used.) (Check all that apply and indicate frequency):					
Wheelchair Frequency of use: Occasional Regular Constant					
Brace(s) Frequency of use: Occasional Regular Constant					
Crutch(es) Frequency of use: Occasional Constant					
Cane(s) Frequency of use: Occasional Regular Constant					
Walker Frequency of use: Occasional Regular Constant					
Other Frequency of use: Occasional Regular Constant 9C. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION:					
9D. DUE TO A VASCULAR CONDITION, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTION REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc.) YES, functioning is so diminished that amputation with prosthesis would equally serve the veteran. NO (If "Yes," indicate extremity(ies.) (Check all extremities for which this applies): Right upper Right lower Left upper Left lower 9E. DESCRIBE LOSS OF EFFECTIVE FUNCTION FOR EACH EXTREMITY CHECKED, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION AND PROVIDE SPECIFIC EXAMPLES (Brief summary):					
SECTION X - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS 10A. DOES THE VETERAN HAVE ANY SCARS (SURGICAL OR OTHERWISE) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN SECTION I, DIAGNOSIS? YES NO					
(If "Yes," are any of the scars painful and/or unstable, or is the total area of all related scars greater than or equal to 39 square cm (6 square inches)?)					
(If "Yes," ALSO complete VA Form 21-0960F-1, Scars/Disfigurement Disability Benefits Questionnaire)					

SECTION X - OTHER PERTINENT	PHYSICAL FIND	DINGS, COMPLICATIONS, CONDITIC	ONS, SIGNS AND/OR SY	MPTOMS (Continued)	
10B. DOES THE VETERAN HAVE ANY OTHER CONDITIONS LISTED IN SECTION I, DIA		SICAL FINDINGS, COMPLICATIONS, CON	DITIONS, SIGNS OR SYMP	TOMS RELATED TO THE	
YES NO (If "Yes," provide brief					
	-	CTION XI - DIAGNOSTIC TESTING			
NOTE: An ankle/brachial index is required or thrombo-angiitis obliterans (Buerger's dis					
11A. HAS ANKLE/BRACHIAL INDEX TESTING			g onlange in the veterano		
YES NO UNABLE TO PER	FORM (Provide red	ason):			
(If "Yes," provide most recent results):					
Right ankle/brachial index:	Dat	e:			
Left ankle/brachial index:	Dat	e:			
11B. ARE THERE ANY OTHER SIGNIFICANT	 DIAGNOSTIC TEST	FINDINGS AND/OR RESULTS?			
YES NO					
(If "Yes," provide type of test or procedure):			Date of test or procedure:		
Results (Brief summary):					
	SECTION X	II - FUNCTIONAL IMPACT AND REN	IARKS		
12. DOES THE VETERAN'S VASCULAR CON	DITION(S) IMPACT	HIS OR HER ABILITY TO WORK?			
YES NO					
(If "Yes," describe impact of each of the veter	ın's vascular condi	tion, providing one or more examples):			
		SECTION XIII - REMARKS			
13. REMARKS (If any)					
	SECTION XIV - P	HYSICIAN'S CERTIFICATION AND	BIGNATURE		
CERTIFICATION - To the best of my k	nowledge, the inf	ormation contained herein is accurate	, complete and current.		
14A. PHYSICIAN'S SIGNATURE		14B. PHYSICIAN'S PRINTED NAME		14C. DATE SIGNED	
14D. PHYSICIAN'S PHONE AND FAX NUMBER	14E. PHYSICIAN'S	S MEDICAL LICENSE NUMBER	14F. PHYSICIAN'S ADDRE	-55	
NOTE - VA may request additional medical in	formation, includin	g additional examinations, if necessary to	complete VA's review of the	e veteran's application.	
IMPORTANT - Physician please fax the			*		
(VA Regional Office FAX No.)					
NOTE - A list of VA Regional Office FAX Numbers can be found at <u>www.benefits.va.gov/disabilityexams</u> or obtained by calling 1-800-827-1000.					
PRIVACY ACT NOTICE: VA will not disclose in	formation collected o	n this form to any source other than what has	been authorized under the Priva	acy Act of 1974 or Title 38, Code of	
Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58/VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the					
Federal Register. Your obligation to respond is volunt claim file. Giving us your SSN account information					
refusing to provide his or her SSN unless the disclos considered relevant and necessary to determine maxi					
verification through computer matching programs with		The responses you submit are considered		, submitted is subject to	
RESPONDENT BURDEN: We need this informatio	n to determine entitle	nent to benefits (38 U.S.C. 501). Title 38, Unite	d States Code, allows us to ask	for this information. We estimate that	
you will need an average of 30 minutes to review the control number is displayed. You are not required to r at <u>www.reginfo.gov/public/do/PRAMain</u> . If desired, y	espond to a collection	of information if this number is not displayed. V	/alid OMB control numbers can	be located on the OMB Internet Page	